

AMATEUR ELECTRONIC SUPPLY  
5710 W. GOOD HOPE RD.  
MILWAUKEE, WI 53223  
WEB: <http://www.aesham.com>

LOCAL PHONE #: 414-358-0333  
NATIONWIDE WATS #: 1-800-558-0411  
FAX #: 414-358-3337  
SERVICE #: 414-358-4087

\*\*\*\*\*  
\* INVOICE \*  
\*\*\*\*\*

PAGE 1 OF 1  
AMOR05

10:29:23  
9/23/02

SOLD TO:

WA9KWS ACCT #: 98379  
PETER E MORIN  
2014 GREYSTEM CIR 102

SHIP TO:

WA9KWS ACCT #: 98379  
PETER E MORIN  
2014 GREYSTEM CIR 102

GURNEE IL 60031-2188

GURNEE IL 60031-2188

HOME: 847-782-8711 WORK:  
E-MAIL: [pmorin@attbi.com](mailto:pmorin@attbi.com)

FAX:

INVOICE #	INVOICE DATE	SHIP DATE	SHIP VIA	ORDER #	SALESPERSON
1480667-01	9/23/02	9/23/02	UPS GROUND	1605285	RAY-W9KHH

QTY	BQTY	ID	ITEM NUMBER	ITEM DESCRIPTION	PRICE	EXTENDED
1			YAE VR-500 PACK	YAESU PACK; VR500/FNB59/NC60B	344.97	344.97

INTERNET

THANK YOU FOR YOUR ORDER - RAY W9KHH  
SN/1D200372  
1Z5793740312549204

PAYMENT TYPE	AMOUNT	EXP
YGC MFGR COUPON	90.00	
MC	264.96	6/05

SUB-TOTAL	344.97
SHIPPING	9.99
INSURANCE	
COD/OTHER	
TAX	
INVOICE SUB-TOTAL	354.96
COUPON TOTAL	-90.00
INVOICE TOTAL	264.96

\* ALL RETURNS MUST BE AUTHORIZED, AND ARE SUBJECT TO A MIN. 15% RESTOCKING FEE \*





**\$459.99**

### NightVision Binocular

**26-3150** - Great for Wildlife observation, Maritime navigation, Security and Camping. Built-in infrared (I.R.) illuminator for enhanced images in very low light. Magnification x Objective Lens: 3.1 x 50mm; Range: 1.5 to 400 ft.; Field of View @ 100 yds: 79 ft.; Size: 7.9 x 6.45 x 2.7 in., 40 oz. Powered by a single CR123A battery. Includes tripod mount.



**\$99.99**

### CaptureView

### Integrated Binocular & Digital Camera

**CVB-1001** - A versatile 8x22 compact Binocular with an integrated 640x480 resolution Digital Camera for anyone who wants to view the action up-close, and capture it digitally as well. The Digital Camera captures the image in the 8-power view of the binocular. Automatic exposure, and focus-free settings makes it easy to snap sports, racing events, or distant wildlife. Everything is supplied to download the images to a PC to be edited, printed, and e-mailed. USB cable; Carry Case; Strap; Complete Instructions; CD ROM with image capture and image editing software.

<b>Binocular:</b>	35mm Lens Equiv .... 400mm
Size.....	8x22mm
Field of View .....	7.0 degrees
700 ft. @ 1000 yds	Field of View ..... 8 degrees
Exit pupil.....	2.8mm
Close Focus.....	16.4 ft.
<b>Digital Camera:</b>	Exposure..... Automatic
Resolution .....	640x480 (VHI)
196 x144 (Lo)	Memory ..... 8Mb
Sensor .....	Batteries.. (2) AAA (not incl.)
	<b>Dimensions:</b>
	Size..... 4.5 x 3.5 x 2.2 in.
	Weight..... 6.4 oz



**\$199.99**

### Radar Speed Gun

**10-1907** - Multi-functional, for all kinds of sports enthusiasts! Tracks miles (or kilometers) per hour of everything from pitching speeds, tennis serves and downhill racers to cars at the racetrack. Measures the speed of a baseball at 6-110 mph from over 90 ft. away and the speed of a race car from 6-200 mph, at over 1300 ft. away. Displays current, last and average speeds. Tracks baseball statistics for up to 8 pitchers. Features highly legible 4-row LCD graphics display and 2-way button pad.

## ORDER TOLL FREE

Milwaukee 1-800-558-0411 • Cleveland 1-800-321-3594



Orlando 1-800-327-1317 • Las Vegas 1-800-634-6227



Nearly 1,000 Used, Demo & Return items in stock...  
Latest inventory lists available on our web site:


[www.aesham.com](http://www.aesham.com)



**\$39.99**

### Remote Control Range Extender

**LF-IRX** - Control virtually any household device that is operated by an Infrared Remote Controller, including your Satellite Receiver, DVD player, Personal Video Recorder, Cable Converter Box, VCR, CD player, Stereo Receivers, Tape deck, etc. Long range RF signal works inside or outside of your home, through walls and floors, up to 100 ft. away.



**\$39.99**



### A/V Selector & Modulator

**MOD-41** - Select and view multiple video sources on any TV. And, allows video components such as DVD players, Video Game Systems, VCR's and Camcorders, etc. to be viewed on TV's that are not equipped with an available audio/video jack.


- Converts up to four Audio/Video source inputs to VHF for viewing on any TV.
- Switchable, video sources and cable or antenna
- Stereo A/V and selectable to channel 3 or 4 output
- Front panel instant push button switching
- Eliminate the need for extra monitors
- Separate VHF antenna/cable input simplifies installation and switching components



**\$149.99**

### Micro ATV Transmitter

**8708** - Transmits a high quality Amateur Television audio and video signal on 433.97 MHz (cable channel 58, 59 or 60). Plug in an antenna and a video source; your video camera, camcorder, or VCR. With your TV set (or down converter) tuned to the appropriate channel, you'll have a complete low power ATV video station. Puts out 50 to 100 mW signal, capable of transmitting up to 1.8 miles with a 3-element beam. By using a suitable UHF amplifier, you can enjoy ATV communications over an extended range with other ATV ham operators. Requires 9V battery.



PR950-2DX

HHROADTRIP



**AES**

### "ON AIR" Illuminated Station Sign

When actuated, the nearly two inch letters shine bright via the six, noise free, replaceable, incandescent lamps. When not actuated, the letters are nearly invisible.

An internal printed wiring board contains an electronic "Smart Sense" circuit to remotely trigger the sign's lamps on transmit by shorting or applying 10-14 volts.

- Solid Oak Cabinet
- Oak or Black Finish
- Works with Any Radio
- Illuminates when Transmitter is Keyed
- Completely Blacks Out in Receive Mode
- 13.8 VDC Operation, AC Wall Cube Included
- RCA Cord and Diode Adapter Included
- Recessed Rear Connectors for Flush Wall Mount

**\$69.99**  
each

**OAK ON AIR (Oak) • BLACK ON AIR (Black)**

### The Miracle Whip

All band rig mounted

Tunable Whip  
for the FT-817, or other QRP  
or SWL rigs



**MIRACLE WHIP** - The Miracle Whip is a completely self-contained, all-band 57-inch telescoping whip antenna with integrated tuner for receiving and transmitting that mounts right on your radio's antenna connector. Continuously tunes 0.6 to 500 MHz on Receive and 3.5 to 450 MHz on Transmit. The C-VAT (Continuously Variable Auto Transformer) design operates effectively without any added counterpoises as the continuously variable nature permits finding a good match when there's no "standard" counterpoise attached. In effect, it uses whatever ground paths are available (the rig itself, microphone cord, body capacity, power supply leads, etc) act as a counterpoise..... **\$149.99**

### COMMUNICATIONS OUTFITTERS

#### Expedition Pack




**EXP-1** - Designed for the Yaesu FT-817. Allows backpack style or table top operation with access to all controls front and rear. A zippered pouch on both sides will securely hold most any antenna in the collapsed position for travel. The radio compartment is divided so that the top section will hold the FT-817, and the lower compartment can be used for an amplifier, tuner or other radios. Made of high quality and durable denier nylon with plastic panels for rigidity. Water-resistant. 12" w x 4" h x 15" d ..... **\$99.99**

**PR-950-2DX MicroTalk** - A PAIR of combination FRS (Family Radio Service) and GMRS (General Mobile Radio Service) two-way radios. Operate on UHF/FM for clear long distance reception up to 5 miles. Outputs: 500mW output for FRS channels and 2W output for GMRS channels. 4.5" h x 2.5" w x 1.25" d, 5.4 oz. without batteries. Requires 4 AAA batteries (not included)

**Features:** 22 channels; 38 privacy codes; 10 channel memory; 10 call tones; Multi-function scanning; VibrAlert™ for silent incoming calls; VOX for hands-free operation; Battery saver; More! Operate out of the box. Easy FCC licensing information for GMRS is included in the manual..... **PAIR \$99.99**

**HH-ROAD TRIP SoundTracker® 40 Channel CB Handheld with Magnet-mount Antenna** - Keep in your vehicle for 24-hour Emergency access to communicate between cars and trucks and to receive the latest weather information from 10 NOAA Weather Channels. Operates on (9) AA Alkaline or NiCad batteries or in-vehicle using the included DC cord with cigarette lighter plug. New compact design, 6-3/4" h x 2" w x 1-3/4" d. Included strong magnet mount antenna provides maximum range and bends without breaking..... **\$79.99**



**YAESU**

**AMATEUR RADIO PRODUCTS**

# Limited Warranty Card

Model

VR-500

Serial No.

1D200372

**Valid in U.S.A. and Canada only.**

**All other Countries please inquire with your local Authorized Dealer.**

**YAESU**

**Amateur Products Division of VERTEX STANDARD**

17210 Edwards Road Cerritos, CA 90703

WARRANTY REGISTERED  
BY MAIL  
9/25/02 PCH



## LIMITED WARRANTY

### Warranty Terms:

Subject to the Limitations of Warranty and the Warranty Procedures described below, VERTEX STANDARD hereby warrants this product to be free of defects in materials and workmanship in normal use for a period of twelve months (the "Warranty Period") from the date of original purchase at retail (the "Limited Warranty").

### Limitations of Warranty:

- A. VERTEX STANDARD is not liable for any express warranties except the Limited Warranty described above.
- B. The Limited Warranty extends only to the original retail purchaser, and shall not be valid or enforceable unless such original purchaser fully completes, signs, and mails to VERTEX STANDARD within ten (10) days from the date of such original purchase at retail, the Owner's Warranty Registration Card included with this product.
- C. The Limited Warranty shall be limited to repair or replacement of any materials found to be defective, any servicing or adjustment of the product which VERTEX STANDARD believes is necessary or replacement of the product should such repair, servicing, or adjustment be deemed by VERTEX STANDARD to be ineffective. The repair or replacement of defective material, and the servicing, adjustment, or replacement of the product, under the terms of this warranty, shall be performed free of charge by VERTEX STANDARD, or by an Authorized YAESU Amateur Products Dealer.
- D. Any tampering with, misuse or unauthorized modifications of, or damage (for any reason) to this product shall relieve VERTEX STANDARD from any further obligations under this Limited Warranty.
- E. The Limited Warranty applies only to the product as it existed at the time of original purchase by the original retail purchaser, and shall not preclude VERTEX STANDARD from later making any charges in design, adding to, or otherwise improving subsequent versions of this product, or impose upon VERTEX STANDARD any obligation to modify or alter this product to conform to such charges, or improvements.
- F. VERTEX STANDARD assumes no responsibility for any consequential damages caused by or arising out of, any such defect in materials or workmanship.
- G. TO THE FULLEST EXTENT PERMITTED BY LAW, VERTEX STANDARD SHALL NOT BE RESPONSIBLE FOR ANY IMPLIED WARRANTY WITH RESPECT TO THIS PRODUCT.
- H. If the original retail purchaser timely complies with the Warranty Procedures described below and VERTEX STANDARD elects to send the purchaser a replacement product rather than repair the product returned to VERTEX STANDARD (the "original product"), then the Limited Warranty shall apply to the replacement product only for the remainder of the original product's Warranty Period.
- I. Warranty statutes vary from state to state, so some of the above limitations may not apply to you.

### Warranty Procedures:

- A. To obtain the benefit provided by this Limited Warranty, the original purchaser at retail must comply with the following procedures:
  - 1. As a first step in seeking warranty assistance, and without expense to VERTEX STANDARD, contact the Authorized YAESU Amateur Products Dealer from whom this product was originally purchased (the "Dealer") and describe fully the defect for which warranty assistance is sought. The Dealer may be able to advise you regarding field adjustments or operating procedure changes which may resolve the difficulty.
  - 2. If the Dealer's suggestions do not remedy the product's problems, then without expense to VERTEX STANDARD, return this product to the Dealer or VERTEX STANDARD Service Center, 17210 Edwards Road, Cerritos, California 90703. (VERTEX STANDARD assumes no responsibility for any YAESU product or other item, sent to such Dealer or VERTEX STANDARD not in accordance with VERTEX STANDARD instructions.) Advance authorization is not required to return YAESU products to VERTEX STANDARD for service.
  - 3. Include with the YAESU product being returned for warranty service a copy of the original purchase receipt, without which warranty service will not be provided.
- B. Upon receipt by VERTEX STANDARD or the Dealer of this product returned in accordance with the above described Warranty Procedures, all reasonable efforts will be expended by VERTEX STANDARD to cause this product to conform to its specifications. VERTEX STANDARD will return the repaired product (or a replacement product) free of charge to such purchaser, with the decision as to whether to repair or replace this product to be made in the sole discretion of VERTEX STANDARD.

DAD,

Have a ball!

Love,

Pete

